

Index to GBRMPA/DC/RPT-1

HALIFAX NICKEL ORE IMPORT FACILITY

Ore Dispersion, Dredging and Ecological Impacts

Prepared for:
Dallhold Nickel Management Pty
Ltd

Prepared by:
WBM Pty Ltd
99 Leichhardt Street
SPRING HILL QLD 4000
Telephone (07) 831 6744
Fax (07) 832 3627

Job No: 6971.2

Date: May 1991

TABLE OF CONTENTS

1.0	INTRODUCTION	1
	1.1 BACKGROUND	1
	1.2 OBJECTIVES	4
	1.3 SCOPE AND TERMS OF REFERENCE	5
2.0	REVIEW OF PREVIOUS DISPERSION MODELLING IN HALIFAX BAY	7
	2.1 GENERAL APPROACH	7
	2.2 REVIEW OF HYDRODYNAMIC MODEL RELIABILITY	9
	2.3 REVIEW OF DISPERSION MODEL RELIABILITY	34
	2.4 REVIEW OF PREVIOUS ANALYSES	64
	2.5 ADDITIONAL PROBABILITY AND SENSITIVITY CONSIDERATIONS	66
3.0	TOWNSVILLE PORT OPTIONS - INCREMENTAL SILTATION AND DREDGING	77
	3.1 GENERAL CONSIDERATIONS	77
	3.2 QUALITATIVE CHANNEL SILTATION PROCESSES	78
	3.3 HISTORICAL CHANNEL AND HARBOUR SILTATION AND DREDGING	82
	3.4 HARBOUR SILTATION	87
	3.5 INCREMENTAL EFFECTS OF FURTHER CHANNEL DEVELOPMENT ON SILTATION	88
	3.6 GENERAL CONCLUSIONS	93
4.0	DISPERSION PROCESSES IN CLEVELAND BAY	96
	4.1 GENERAL CONSIDERATIONS	96
	4.2 HYDRAULIC BEHAVIOUR OF CLEVELAND BAY	96
	4.3 POTENTIAL NICKEL ORE SPILLS	100
	4.4 NATURAL AND DREDGE SPOIL TURBIDITY IN CLEVELAND BAY	107
	4.5 DISPERSION ANALYSES	113
	4.6 COMPARISON OF DREDGING EFFECTS WITH THOSE FOR HALIFAX BAY	125
	4.7 POTENTIAL INCREMENTAL EFFECTS OF TOWNSVILLE PORT OPTIONS	127

5.0	CONSIDERATIONS RELATING TO THE MARINE ECOLOGICAL ENVIRONMENT	129
5.1	EXISTING ENVIRONMENT	129
5.2	TEMPORAL STABILITY OF ECOLOGICALLY IMPORTANT AREAS	150
5.3	METAL CONCENTRATION OF SEDIMENTS AND WATER	152
5.4	ECOLOGICAL IMPACTS	162
5.5	SUMMARY OF ECOLOGICAL CONSIDERATIONS, CLEVELAND BAY	171

REFERENCES

APPENDIX 1	SIEVE ANALYSIS DATA
APPENDIX 2	RESPONSES TO GBRMPA COMMENTS
APPENDIX 3	CURRICULA VITAE

FIGURES

1.1	LOCALITY PLAN.	2
2.1(a)	BOUNDARY OF HYDRODYNAMIC MODEL AND CURRENT METER LOCATIONS.	10
2.1(b)	RELATIONSHIP OF CLEVELAND BAY TO WHOLE MODEL BOUNDARY.	11
2.1(c)	RELATIONSHIP OF HALIFAX BAY TO WHOLE MODEL BOUNDARY.	12
2.2	BOUNDARY TIDE RELATIONSHIPS - CAPE FERGUSON, LUCINDA AND JOHN BREWER REEF.	20
2.3	TIDAL DATA - TOWNSVILLE AND MODEL BOUNDARIES 15/4/91 - 19/4/91.	21
2.4	REGIONAL CURRENT PATTERNS - HALIFAX BAY NO WIND.	22
2.5	REGIONAL CURRENT PATTERNS - HALIFAX BAY 25 knots ESE.	23
2.6	VERIFICATION OF TIDAL AMPLIFICATION TOWNSVILLE HARBOUR.	25
2.7(a)	CLEVELAND BAY - TIDAL CURRENT VERIFICATION PLATYPUS CHANNEL (CM2).	26
2.7(b)	CLEVELAND BAY - TIDAL CURRENT CALIBRATION INNER HARBOUR.	27
2.8	HALIFAX BAY - TIDAL CURRENT VERIFICATION (CM1).	28
2.9(a)	DROGUE TRACKING VERIFICATION RESULTS HALIFAX BAY.	29
2.9(b)	DROGUE TRACKING VERIFICATION RESULTS CLEVELAND BAY.	30
2.9(c)	DROGUE TRACKING VERIFICATION RESULTS HALIFAX BAY. (Trade Wastes Consultants Report).	31
2.9(d)	DROGUE TRACKING VERIFICATION RESULTS CLEVELAND BAY - FLOOD TIDE (Pringle, 1989).	32
2.9(e)	DROGUE TRACKING VERIFICATION RESULTS CLEVELAND BAY - EBB TIDE (Pringle, 1989)	33
2.10(a)	COMPARISON OF 2000m and 750m GRID MODELS FLOOD TIDE CURRENT.	35
2.10(b)	COMPARISON OF 2000m AND 750m GRID MODELS WIND INDUCED NET DRIFT.	36
2.11	FIELD DYE RELEASE RESULTS HALIFAX BAY.	42
2.12	SUPERIMPOSED DYE PATCH PROFILES HALIFAX BAY DYE RELEASE.	43
2.13	APPARENT DIFFUSIVITY VERSUS SCALE OF DIFFUSION (after OKUBO 1974).	47
2.14(a)	COMPARISON BETWEEN 'TRACKER' AND 'TUQAL' MODEL RESULTS - HALIFAX BAY.	58
2.14(b)	COMPARISON BETWEEN 'TRACKER' AND 'TUQAL' MODEL RESULTS - HALIFAX BAY.	59
2.14(c)	COMPARISON BETWEEN 'TRACKER' AND 'TUQAL' MODEL RESULTS - HALIFAX BAY.	60
2.15(a)	EAST AUSTRALIA CURRENT/COASTAL TRAPPED WAVE - HYDRAULIC IMPACTS.	69
2.15(b)	EAST AUSTRALIA CURRENT/COASTAL TRAPPED WAVE - HYDRAULIC IMPACTS.	70
2.15(c)	EAST AUSTRALIA CURRENT/COASTAL TRAPPED WAVE - HYDRAULIC IMPACTS.	71
2.16(a)	EAST AUSTRALIA CURRENT/COASTAL TRAPPED WAVE - WATER QUALITY IMPACTS.	72
2.16(b)	EAST AUSTRALIA CURRENT/COASTAL TRAPPED WAVE - WATER QUALITY IMPACTS.	73
2.17	DISPERSION OF ORE FROM SHUTTLE ACCIDENT HALIFAX BAY.	76

3.1	PROGRESSIVE DEVELOPMENT OF PORT DEPTHS SINCE 1961.	84
3.2	DREDGE SPOIL DUMPING GROUNDS CLEVELAND BAY (Pringle, 1989).	85
4.1	ANNUAL WIND ROSE FOR CAPE CLEVELAND.	97
4.2(a)	HYDRAULIC PATTERNS - CLEVELAND BAY.	101
4.2(b)	HYDRAULIC PATTERNS - CLEVELAND BAY.	102
4.2(c)	HYDRAULIC PATTERNS - CLEVELAND BAY.	103
4.3	CONTINUOUS ORE SPILL PREDICTIONS TOWNSVILLE PORT.	106
4.4	SUSPENDED SEDIMENT CONCENTRATIONS UNDER DIFFERENT SEA STATES.	109
4.5	AIMS NEPHELOMETER DEPLOYMENT LOCATIONS.	112
4.6(a)	SPOIL DUMPING SIMULATION 15 K SE AND NE WINDS.	116
4.6(b)	SPOIL DUMPING SIMULATION 15 K SE AND NE WINDS.	117
4.6(c)	SPOIL DUMPING SIMULATION 15 K SE AND NE WINDS.	118
4.7	SPOIL DUMPING SIMULATION 30 K SE WIND.	119
4.8(a)	PLATYPUS CHANNEL SPOIL OVERFLOW SIMULATION 15 K SE AND WE WINDS.	120
4.8(b)	PLATYPUS CHANNEL SPOIL OVERFLOW SIMULATION 15 K SE AND WE WINDS.	121
4.8(c)	PLATYPUS CHANNEL SPOIL OVERFLOW SIMULATION 15 K SE AND WE WINDS.	122
4.9	SEA CHANNEL SPOIL OVERFLOW SIMULATION.	123
4.10	MOVEMENT OF RESUSPENDED DREDGE SPOIL CLEVELAND BAY.	124
5.1	LOCATION OF ECOLOGICALLY IMPORTANT HABITATS IN HALIFAX/CLEVELAND BAY REGION.	130
5.2(a)	QDPI SEAGRASS MAPS (1988) (after Pringle 1989).	133
5.2(b)	QDPI SEAGRASS MAPS (1988) (after Pringle 1989).	134
5.2(c)	QDPI SEAGRASS MAPS (1988) (after Pringle 1989).	135
5.2(d)	LEGEND FOR FIGURES 5.2(a), 5.2(b) and 5.2(c).	136
5.3(a)	SEAGRASS DISTRIBUTION IN CLEVELAND BAY 1974 - 1988 (after Pringle 1989).	138
5.3(b)	SEAGRASS DISTRIBUTION IN CLEVELAND BAY 1974 - 1988 (after Pringle 1989).	139
5.4	ISOPACHS OF DREDGE SPOIL DISTRIBUTION - CLEVELAND BAY AS INFERRED FROM VIBRACORES (after Pringle 1989).	141
5.5	COASTAL FEATURES OF MAGNETIC ISLAND (after Pringle 1989).	143
5.6	HISTORICAL FLUCTUATIONS IN SEAGRASS EXTENT ON SOUTHWEST MAGNETIC ISLAND (after Pringle 1989).	148
5.7	SEDIMENT AND WATER SAMPLE LOCATIONS.	154
5.8	SEDIMENT AND WATER SAMPLE LOCATIONS.	155